

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,605,161 B2
APPLICATION NO. : 10/566193
DATED : October 20, 2009
INVENTOR(S) : Melwyn et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page:

The first or sole Notice should read --

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 552 days.

Column 1, line 35, "R J" should be -- **RJ** --.

Column 5, line 41, " $-(O)_2N(R^{12})_2$ " should be -- **S(O)₂N(R¹²)₂** --.

Column 14, line 11, " C_3-C_{19} " should be -- **C₁₃-C₁₉** --.

Column 14, line 26, "where R_b an" should be -- **where R_b is an** --.

Column 14, line 48, " $-R^{15}-N(R^{14})(S(O)_iR^{18})$ " should be -- **R¹⁵-N(R¹⁴)(S(O)_iR¹⁶)** --.

Column 16, line 16, "5 to 18membered" should be -- **5- to 18- membered** --.

Column 17, line 26-27, " $-R_1-OH$ " should be -- **-R_a-OH** --.

Column 21, line 17, "Cambridge, Mass." should be -- **Cambridge, MA** --.

Column 28, line 21, " R_6 " should be -- **R⁶** --.


Column 31, line 6, "Astrovimus" should be -- **Astrovirus** --.

Column 31, line 20-21, "tick-bome" (twice) should be -- **tick-borne** --.

Column 31, line 41, " C_9-C_{10} " should be -- **C9-C10** --.

Signed and Sealed this

Sixteenth Day of November, 2010




David J. Kappos
Director of the United States Patent and Trademark Office


Column 32, line 38, “(TG)” should be -- (TG)₂ --.

Column 33, line 11-12, “18:1n-9/1 8:0” should be -- **18:1n-9/18:0** --.

At the top of Column 39,



should be



Column 51, line 24, “(0.432 g, 37%)” should be -- **(0.432 g, 37%)** --.

Column 51, line 29, “(0.432 g, 1.272” should be -- **(0.432 g, 1.272** --.

Column 51, line 63, “(0.020 g, 24%)” should be -- **(0.020 g, 24%)** --.